Gee Government e Marketplace Bid Number: GEM/2019/B/279175 Dated: 04-07-2019

| Bid Document | | | |
|---|---|--|--|
| Bid Details | | | |
| Bid End Date/Time | 19-07-2019 15:00:00 | | |
| Bid Life Cycle (From Publish Date) | 90 (Days) | | |
| Bid Offer Validity (From End Date) | 30 (Days) | | |
| Ministry/State Name | Rajasthan | | |
| Department Name | Technical Education Department Rajasthan | | |
| Organisation Name | Rajasthan Technical University (rtu) Kota | | |
| Office Name | Rajasthan Technical University Kota | | |
| Total Quantity | 1 | | |
| Item Category | Almirah Steel | | |
| Experience with Government Required | 3 Year (s) | | |
| MSE Exemption For Years Of Experience And Turnover | No | | |
| Startup Exemption For Years Of Experience And Turnover | No | | |
| Document required from seller | Experience with Government,OEM Authorization Certificate | | |
| Bid to RA enabled | No | | |

Almirah Steel (1 pieces)

Technical Specifications

* As per GeM Category Specification

| Specification | Specification Name | Values | Bid Requirement (Allowed Values) |
|---------------|------------------------------|--|--|
| MATERIAL | Material | M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1 | M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1 |
| | Material of Almirah Doors | M S Sheet | M S Sheet |
| | Sheet Thickness of | N.A | 0.7 mm, 0.8 mm, 0.9 |

| Locke | er | | mm, 1.0 mm, N.A |
|-------------------------------------|---|---|---|
| - | h of Glass ± ±10 (mm) | N.A | * |
| Width ±10 (| n of Glass Sheet mm) | N.A | 230 mm, 280 mm, 305 mm, 330 mm, 355 mm, 410 mm, 460 mm, N.A |
| | Thickness of in mm | 0.8 mm (Minimum) | 0.8 mm (Minimum) |
| | : Thickness of ,back , Top and m | 0.8 mm (Minimum) | 0.8 mm (Minimum) |
| Sheet Shelv | Thickness of es | 0.8 mm | 0.8 mm |
| | : Thickness of stal in mm | 0.8 mm (Minimum) | 0.8 mm (Minimum), 1.0 mm, 0.7 mm, 0.9 mm, NA |
| Mater | rial of Lock | Brass and steel finish | Brass and steel finish |
| Mater | rial of Keys | brass and steel finish | brass and steel finish |
| | ormity to Indian lard IS:3312 : | No | Yes, No |
| No of | shelves (Nos) | 3 | 3 |
| Туре | of Shelves | Fixed | Fixed |
| Locke | er Provided | Yes | Yes, No |
| Locki the lo | ng System with ocker | YES | YES, NO, NA |
| | hanging provision Almirah | No | * |
| Numb (Nos) | er of Doors | 2 | 2 |
| full de Provi | Stiffner upto oor height ded with the ah doors | Yes | Yes, No |
| with e - No h slidin hangi | per of Hinges each door (Nos) hinges if having g door with top ng gement | 3 | 1, 2, 3, 4, SLIDING DOORS NO HINGES |
| Sheet | er of Glass t fixed in each ah door (Nos) | N.A | 2, 4, 6, 8, 10, 12, N.A |
| Consti | ruction | Welded | * |
| Lock | | Three Way bolting device controlled by lock | Three Way bolting device controlled by lock |

| DIMENSION | Height (Without Pedestal) (in mm) (+/- 10 mm) | 1155 | 1155 |
|-----------------|---|---------------|--|
| | Width in mm (± 7 mm) | 760 | 760.0 |
| | Depth in mm (±5 mm) | 430 | 430, 455, 480, 486, 270, 370, 400, 440 |
| | Inside Height of Locker in mm (± 5 mm) | N.A | 290 mm, 335 mm, 370 mm, 385 mm, 465 mm, 625 mm, N.A |
| | Inside Width of Locker i mm (±5 mm) | N.A | 380 mm, 455 mm, 510 mm, 760 mm, 910 mm, 916 mm, 1023 mm, N.A |
| | Inside Depth of Locker in mm (±5 mm) | N.A | 430 mm, 455 mm, 486 mm, N.A |
| | Width of Stiffner in mm (±5 mm) | 115 mm | 115 mm, 125 mm, 140 mm, 155 mm, N.A |
| | Thickness of MS Sheet of Stiffner (in mm) | 0.8 mm | 0.6 mm, 0.7 mm, 0.8 mm, 0.9 mm, N.A |
| | Stiffened Pedestal height in mm (±2 mm) | 120 | 120, 125, 130, NA |
| | Pedestal Width in mm (±2 mm) | 70 | 70, 75, 80, NA |
| COLOUR & FINISH | Finish | powder coated | powder coated |
| | Colour of Paint | steel gray | * |
| | Packing: | Bubble Sheet | * |
| CERTIFICATION | ISI marked | No | * |
| WARRANTY | WARANTEE PERIOD IN NUMBER OF YEARS | 1 | 1 |

* Bold specifications are the golden parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporti ng Officer | Address | Quantity | Delivery Days |
|------------|---------------------------------|---|----------|---------------|
| 1 | V V D N Kamesh | 324010,Rajasthan Technical University, Rawatbhata Road, | 1 | 30 |
| EMD Detail | | | | |

| Required | Νο | |
|-------------|----|--|
| ePBG Detail | | |
| Required | No | |
| | | |

Splitting

Bid splitting not applied.

Buyer Specific Additional Terms and Conditions

- $1.\,\mbox{Scope of supply}$ (Bid price to include all cost components) : Only supply of Goods
- 2. The bidder must have ISO 9001 certification.
- 3. OEM or Authorized distributor/Partner of OEM should have a registered office in India to provide sales and 24x7 support in India. The certificate to this effect should be submitted. The bidder should be either OEM or his authorized dealer/distributor.
- 4. Replacement under warranty clause shall be made by the Seller free of all charges at site including freight, insurance and other incidental charges. During the warranty period, the Seller shall remain responsible to arrange replacement in next Business day (NBD) and for setting right at his own cost any equipment installed by him which is of defective manufacture or design or becomes unworkable due to any cause whatsoever. The decision of the Buyers representative in this regard to direct the contractor to attend to any damage or defect in work shall be final and binding on the Seller.

This Bid is also governed by the General Terms and Conditions

