

**Bid Document**

<b>Bid Details</b>	
Bid End Date/Time	16-07-2019 14:00:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Rajasthan
Department Name	Technical Education Department Rajasthan
Organisation Name	Rajasthan Technical University (rtu) Kota
Office Name	Rajasthan Technical University Kota
Total Quantity	4
Item Category	Executive Table
Experience with Government Required	3 Year (s)
MSE Exemption For Years Of Experience And Turnover	No
Startup Exemption For Years Of Experience And Turnover	No
Document required from seller	Experience with Government,OEM Authorization Certificate
Bid to RA enabled	No

**Executive Table ( 4 pieces )**

**Technical Specifications**

[\\* As per GeM Category Specification](#)

<b>Specification</b>	<b>Specification Name</b>	<b>Values</b>	<b>Bid Requirement (Allowed Values)</b>
MATERIAL	<b>Table top Material</b>	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	<b>Gable end and modesty panel material</b>	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest

	<b>Leg Material</b>	NO LEGS	NO LEGS
GENERIC	<b>Mode of supply</b>	Knocked Down To Be Assembled At Consignee Site By The Seller	Assembled Ready To Use, Knocked Down To Be Assembled At Consignee Site By The Seller
	Frame type	Free standing	*
	Understructure of table	Gable end and modesty panel	*
	<b>Storage provided</b>	No Storage	No Storage
	<b>Keyboard tray</b>	Not provided	Not provided
	<b>Foot rest</b>	Not Provided	Not Provided
MISC	Table top long sides	To be post form half round profile	*
	Table top plain sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Gable end and modesty panel plain side	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Number of buffers provided	4 Nos. at bottom	*
DIMENSION	<b>Thickness of table top <math>\pm 2</math> mm</b>	25	25.0
	Thickness of gable end and modesty panel $\pm 2$ mm	19	*
	<b>Length of table top <math>\pm 10</math> mm</b>	1800	1800.0
	<b>Depth of table <math>\pm 10</math> mm</b>	915	915.0
	Height of table $\pm 10$ mm	750	*
	<b>Dimension of leg(mmXmm) <math>\pm 5</math>mm</b>	No legs	40mmX40mm, 50mmX50mm, 60mmX60mm, No legs, Dia. 50 mm
STORAGE UNIT	<b>Number of Storage unit provided</b>	No storage	Single storage, Double storage, Triple storage, Four storage, No storage
	Width of storage unit $\pm 10$ mm	N.A	*
	Depth of storage unit in mm ( $\pm 10$ mm)	NA	*

	Height of smallest storage unit $\pm 5\text{mm}$	N.A	*
	Height of medium storage unit $\pm 5\text{mm}$	N.A	*
	Height of largest storage unit $\pm 5\text{mm}$	N.A	*
KEYBOARD TRAY	Type of keyboard tray	N.A	*
	Material of keyboard tray and Right angle L-type supporting bracket	N.A	*
	Keyboard adjustability	N.A	*
	fixing of supporting bracket	N.A	*
	Length of telescopic channel $\pm 10\text{mm}$	N.A	*
	Average weight of telescopic channel $\pm 50\text{Gms}$	N.A	*
	Keyboard front width $\pm 10\text{mm}$	N.A	*
	Keyboard depth $\pm 10\text{mm}$	N.A	*
	Keyboard height $\pm 10\text{mm}$	N.A	*
	Finish of exposed edges of keyboard tray	N.A	*
	Material thickness of keyboard tray $\pm 1\text{mm}$	N.A	*
FOOTREST	Material of footrest	N.A	*
	Length of footrest $\pm 10\text{mm}$	N.A	*
	Depth of footrest $\pm 10\text{mm}$	N.A	*
	Height of footrest $\pm 10\text{mm}$	N.A	*
	Finish of exposed edges	N.A	*
	<b>Material thickness of footrest <math>\pm 2\text{mm}</math></b>	N.A	5mm, 9mm, 12mm, 15mm, 19mm, 25mm, 38mm, N.A
COLOUR & FINISH	Table top finish	Laminate in colour with swede finish 0.6-0.8mm thickness of type S,F or P having index no.3.2.3	*

		conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on other side	
	Table top shade	As per Buyer's choice	*
WARRANTY	<b>Warrantee period in number of years</b>	1	1
CERTIFICATION	Test reports to be furnished to buyer on demand	NO	*
	Product having BIFMA certification	NO	*
	OEM of offered product is ISO 9001:2015 certified	YES	*
	OEM of offered product is ISO 14001:2015 certified	YES	*
	OEM of offered product is ISO 18001:2007 certified	YES	*

\* Bold specifications are the golden parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	V V D N Kamesh	324010,Rajasthan Technical University, Rawatbhata Road,	4	30

#### EMD Detail

Required	No
----------	----

#### ePBG Detail

Required	No
----------	----

#### Splitting

Bid splitting not applied.

#### Buyer Specific Additional Terms and Conditions

1. Special Terms and Conditions as defined by world bank at [click here](#) will also be applicable
2. **Scope of supply (Bid price to include all cost components) :** Supply Installation Testing and Commissioning of Goods
3. The Purchaser reserves the right to increase or decrease the ordered quantity up to 25 percent at the time of placement of contract . The purchaser also reserves the right to increase the contracted qty up to 25% during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly
4. Replacement under warranty clause shall be made by the Seller free of all charges at site including freight, insurance and other incidental charges. During the warranty period, the Seller shall remain responsible to arrange replacement in next Business day (NBD) and for setting right at his own cost any equipment installed by him which is of defective manufacture or design or becomes unworkable due to any cause whatsoever. The decision of the Buyers representative in this regard to direct the contractor to attend to any damage or defect in work shall be final and binding on the Seller.
5. **Timely Servicing / rectification of defects during warrantee period:** After having been notified of the defects / service requirement during warrantee period, Seller has to complete the required Service / Rectification within time limit specified. If the Seller fails to complete service / rectification with defined time limit, a penalty of defined % of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).
  - (i) Time Limit for Service / Rectification of defects will be as defined in the SLA document for the service.
  - (ii) Penalty per week of delay as % of unit price of product will be as defined in the SLA document for the service.Seller to give compliance Yes / No while submitting bid.
6. The Bidder shall be responsible for any defects that may develop under the conditions provided by the contract and under proper USE, arising FROM faulty materials, design OR workmanship such AS corrosion, inadequate quantity of material TO meet equipment requirements, inadequate contact protection, deficiencies in design AND/ OR otherwise and shall remedy such defects at his own cost when called upon to do so by the Purchaser who shall state in writing in what respect the stores are faulty.
7. Office of the Service Provider (through Bid) must be located in the said state for sake of better co-ordination, smooth services and other administrative factors.
8. OEM or Authorized distributor/Partner of OEM should have a registered office in India to provide sales and 24x7 support in India. The certificate to this effect should be submitted. The bidder should be either OEM or his authorized dealer/distributor.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---